Installing Intercard Components

- 1. Unzip and copy **Cash_Connect** folder to C:\
- 2. In Cash_Connect folder, in Package folder, run setup.exe (installs VB runtime)
- 3. In C:\Cash_Connect\ folder, edit Cash_Connect.ini file as follows:

[Server]

Address=192.168.0.9:3014 (assign primary transaction server IP here)

Web service=http://192.168.0.9/WS_AccountHistory/WebServiceAccountHistory.asmx?wsdl (assign IP address of data base here)

[Connection]

Retry=5 Wait=200

[MacAddress]

Address=003A13D7M4J20 (assign MAC address of the local computer here)

4. Register dll:

Go to Start \rightarrow Run, and type the following into the command line:

regsvr32 C:\Cash_Connect\Cash_Connect.dll

and click < Enter>

- 5. Install *soapsdk.exe* (XML-based Simple Object Access Protocol)
- 6. Configure *M\$CFG.ini* file in the Micro\$ale directory as follows:

o. Cominguite 1940 of the in the inter-optic directory as follows.
[DebitCards Generic]
Return Card Sentinels=On (Always On)
Max Bonus=10 (-1 will disable, 0 will allow any amount)
Max Courtesy=10 (these are maximums that can be added)
Max Ticket=10 (by a cashier from the order screen)
Print Sign Ticket=Yes (Yes or No to print a signature slip for purchases)
Disable Transfer=No (Yes or No to disable these functions)
Disable Consolidate=No (from being accessed by cashiers)
Disable Card Read=No (on the order screen Debit Card menu)
Show Card Update Message=Yes (always on)
Print Tip Line 0 to print Line 1 not to print=1 (controls tip line on Sign Ticket if in use)
Account Copies=1 (number of Sign Tickets that will print for each purchase)
Location of Debit Card File=C:\Program Files\Micro\$ale\ (path to shared Debit.mdb)
Text Message (Points OR Tickets)=Add Points (choose desired naming convention)
Debit Card Connection [Sacoa/InterCard]=InterCard (Always InterCard {case sensitive})
Debit Card Read Track1 Track2 Both=Both (not in use for InterCard)
Debit Card Track Length=12 (not in use for InterCard)
[InterCard]
Name of Intercard Object=Cash_Connect.ClsConnect (Always Cash_Connect.ClsConnect)
Use ReadWrite Debit Cards=No (Always No)

^{7.} Copy a blank *Debit.mdb* file into the Micro\$ale directory across the "Location of Debit Card File" path as set in the *M\$CFG.ini* file (see above).